

**From:** Victoria Binetti/R3/USEPA/US  
**Sent:** 4/19/2012 5:29:38 AM  
**To:** Kelley Chase  
**CC:**  
**Subject:** Re: Dimock Residential Ground Water Sampling - Week #3 Toxicologist Reports and related DRAFT Residential Data Reports

Hi, Kelley. Checking in to say I have no remarks on the data. Thanks.--Vicky

Victoria P. Binetti

Associate Director, Drinking Water & Source Water Protection

Water Protection Division

US Environmental Protection Agency, Region III

Phone: 215-814-5757

Fax: 215-814-2318

-----Kelley Chase/R3/USEPA/US wrote: -----

To: eoc\_environmental\_unit@epa.gov

From: Kelley Chase/R3/USEPA/US

Date: 04/17/2012 06:06PM

Cc: Ioven.Dawn@epamail.epa.gov, Robert Helverson/R3/USEPA/US@EPA, Lora Werner/R3/USEPA/US@EPA, Karl V Markiewicz <markiewicz.karl@epa.gov>, Victoria Binetti/R3/USEPA/US@EPA, KarenD Johnson/R3/USEPA/US@EPA, Cynthia Caporale/ESC/R3/USEPA/US@EPA, Robin Costas/ESC/R3/USEPA/US@EPA

Subject: Dimock Residential Ground Water Sampling - Week #3 Toxicologist Reports and related DRAFT Residential Data Reports

Attached please find PDFs of the Toxicologist Reports and Draft Residential Data Reports for the 9 locations sampled during Week #4 (2/13/12 - 2/15/12).

While the data has been validated and is considered final, the reports are considered DRAFT until our review is completed. Please be sure to limit the distribution of these reports to an internal review as we have not yet shared the data with residents or with PADEP.

The "tox" reports include additional information (e.g. lab qualifiers, MDLs, QLs, RLs) to assist in the tox review which is not included in the residential reports.

Please note that we are aware that in many cases the established "trigger levels" are lower than the actual detection limits.

The R3 tox is taking this into account in her review. We will be prepared to answer questions regarding this issue as they come up during our meetings with residents.

A glossary/key is included at the end of the residential data reports.

Please feel free to contact me with any questions and/or if you need additional info.

Thank you - Kelley

#### **Toxicologist Reports**

(See attached file: HW-59.pdf)

(See attached file: HW-03.pdf)

(See attached file: HW-07.pdf)

(See attached file: HW-11.pdf)

(See attached file: HW-27.pdf)

(See attached file: HW-53.pdf)

(See attached file: HW-55.pdf)

(See attached file: HW-57.pdf)

(See attached file: HW-58.pdf)

#### **DRAFT Residential Data Reports**

(See attached file: HW59.pdf)

(See attached file: HW03.pdf)

(See attached file: HW07.pdf)

(See attached file: HW11.pdf)

(See attached file: HW27.pdf)

(See attached file: HW53.pdf)

(See attached file: HW55.pdf)

(See attached file: HW57.pdf)

(See attached file: HW58.pdf)

[attachment "HW-59.pdf" removed by Victoria Binetti/R3/USEPA/US]

[attachment "HW-03.pdf" removed by Victoria Binetti/R3/USEPA/US]

[attachment "HW-07.pdf" removed by Victoria Binetti/R3/USEPA/US]

[attachment "HW-11.pdf" removed by Victoria Binetti/R3/USEPA/US]

[attachment "HW-27.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW-53.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW-55.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW-57.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW-58.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW59.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW03.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW07.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW11.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW27.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW53.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW55.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW57.pdf" removed by Victoria Binetti/R3/USEPA/US]  
[attachment "HW58.pdf" removed by Victoria Binetti/R3/USEPA/US]